



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*An Extract of the Journall of the Philosophicall Society of Oxford; giving an account of a large præternaturall Glandulose substance, found between the Heart and Pericardium of an Ox.*

*Novem. 4th 1684.*

**T**HAT Lump of Flesh, taken out of an Ox, and seen by this *Society*, the last Week; having been examined, by severall of our Members, afforded the following Observations.

The weight of the whole substance, cleared from the little Fat, &c. adjoining to it, amounted to 19 $\frac{3}{4}$  l.

As to its figure, it so far resembled a *Heart*, that it was along time taken for nothing else; but it was something flatter, than the *Heart* is naturally; each of the flat sides making an equilaterall Triangle.

The *Basis* of this *Cone* of flesh was 2 foot 7 inches in Circumference: a thred drawn round it lengthways, from the *Basis* to the *Vertex*, came to 2 foot, 9 inches.

We then divided it, cutting from the *Vertex* to the *Basis* of the *Cone*; and passing thro both the *Ventricles*, and *Mucro* of the *Heart*; by which means we saw the *Heart* not to exceed the naturall size; that which was extraordinary about it, being a large *Glandulous* substance compassing the *Heart* (unless where the *Vessels* had their passage,) and stretching the *Pericardium* to the excess before mentioned: We saw no Liquor in the *Pericardium*, nor indeed was there room for any; this *Glandulose substance* taking up all the space between the *Heart* and *Pericardium*, to both which it grew very fast.

This præternaturall substance was thickest about the *Basis* of the *Heart*, where it covered the *Auricula*, and was  
three

three inches and  $\frac{1}{2}$  of an inch thick; it grew thinner on both sides gradually toward the *Mucro*; where it was one inch and  $\frac{1}{2}$  thick.

In the *Septum Cordis* a gritty Sabulose substance was found, half as big again as a Walnut.

In the *Lungs* were severall *Cystides*, containing matter more or less fluid: one very larg *Cystis* held some ounces of a matter not unlike that of a *Steatoma*.

The Butcher who killd this Ox, says, the *Lungs* grew fast to the *Pleura*, on both sides; which He affirms not to have found once in forty times, in the Cattle killd by Him.

He says also, that the Ox, tho not overburthend with Fat, complaind much in travailing; which is easy to account for, there being not room for the *Heart* to be distended, as it ought, in its *Diafole*.

*De ORIGINE*